

Signal and Image Processing Letters Vol. 4., No. 3, 2022, pp. 20-28 ISSN 2714-6677



20

Mixer control system for brick making based on PLC omron CP1E-NA20DR-A



Eka Budi Setiawan ^{a,1}, Wahyu Sapto Aji ^{a,2,*}

^a Department of Electrical Engineering, Universitas Ahmad Dahlan, Yogyakarta, Indonesia ¹ ekabudistwn@gmail.com; ² wahyusa@ee.uad.ac.id * corresponding author

ARTICLE INFO

ABSTRACT

Keywords Brick PLC Motorcycle CX-ONE

Bricks play a very important role in the construction of houses. No matter how beautiful a house is, without bricks, it cannot be said to be a house. With the development of architecture, bricks are not limited to the protection of the house, the role of bricks is now shifting towards a broader architectural design or construction. This research was conducted by designing hardware and software design and research materials. This hardware consists of several parts and ways of working in producing bricks, ranging from the frame as a support, control panel from PLC, pneumatic system, soil milling place, and 3-phase induction motor as a drive for the milling process so as to produce soil that is ready for molding. In programming the OMRON CP1E NA20DR-A PLC, supporting software is needed, namely CX-ONE software. CX-ONE software is designed on the software arranged according to the working principle, the volume of the mixture between 2 liters of soil and 2 liters of water using a delta circuit then a brick dough is produced that can be used properly. The existence of this tool is expected to make it easier to produce bricks.

This is an open access article under the CC-BY-SA license.



1. Introduction

Red brick is an artificial stone made from clay or unmixed materials, dried in the sun for several days, then fired at high temperatures until it is hard enough not to crack when immersed in water [1]. Soil has several distinctive properties, namely when it is wet it has plastic properties but when it is dry it becomes hard, whereas when it is burned it becomes strong and solid [2]. Bricks are a building material in the form of rectangular prisms, solid and used for the construction of building walls, which are made of pure clay with or without additives and fired at a certain temperature [3]. In general, red bricks have a color that is not nearly all the same, but most are brownish red. Unlike the case with red bricks, the surface of the face bricks is usually smoother and smoother [4]. The type of brick that is very often used today is brick made of clay or clay [5]. The compressive strength obtained by bricks using a mixture of clay, dust and sand meets the permissible pressure strength standards (SNI = 25-250 kg /cm²) which is around 26.67 kg/cm² - 104.67 kg/cm² [6]. In order to produce good concrete brick mixer results, it is necessary:

- 1. Motor: 2.35 Hp or 1.75 Kw with a minimum rotation of 30 Rpm and a maximum rotation of 1500 Rpm.
- 2. Shaft material: S50C AISI 1050 with a diameter of 25.76 mm and a length of 1000 mm.
- 3. Bearing: Mounting type Radial Ball JIS B1520.



- 4. Transmission: Belt type --V Type B -109.
- 5. Pulley: Diameter of small pulley: 4 In Diameter of large pulley: 6 In [7].

PLC is a special microcontroller system for industry, meaning a set of software and hardware adapted for application needs in the industrial world [8]. Control system A control logic program with 3 connection functions, namely PLC processor control, input current and a computer as a time controller, can monitor and output is connected to the motor process by making bread in the form of a ladder diagram. The workings of making bread and the application of tools that can affect timeliness in order to obtain the best and most efficient results. Produce better processed products with minimal resources [9]. Programmable Logic Controller (PLC) is an electronic computer device that is so easy to use (user friendly) and has control functions for various types and different levels of difficulty [10].

A 3-phase induction motor has a construction similar to other types of electric motors. The 3-phase induction motor has two main parts, namely the stator and the rotor. The stator is the stationary part of the motor, while the rotor is the moving part of the motor [11]. The lines of induced flux force from the stator coil will cut the rotor coil resulting in an electromotive force (Emf) or induced voltage [12] between the rotor rotation and the magnetic flux rotation there is a difference in rotation which is called slip [13]. The 3-phase induction motor is the most widely used drive device in the industrial world [14] this means that of all types of induction motors, the 3-phase induction motor is the most stable motor under normal conditions when supplied with a balanced 3-phase system [15].

The Star-Delta circuit is one of the motor circuit systems used to run electric motors with the aim of reducing high starting current spikes [16]. Agitating the star-delta motor means that the motor circuit is connected to a star when starting, and connected to a delta when running [17] with the aim of reducing the incoming voltage to the motor coil [18].

This study aims to find out how the mixer works for making bricks with PLC, to know the standard mix of brick soil dough, and to know the working system of the ladder diagram in the CX-Programmer software.

2. Method

This research was conducted at the system design stage, both in hardware design and software design as well as research materials.

This hardware consists of several parts and working methods in producing bricks, starting from the frame as a support, the control panel from the PLC, the pneumatic system, the soil mill, the 3-phase induction motor as the driver of the grinding process so as to produce soil ready for printing.

In programming the OMRON CP1E NA20DR-A PLC, it requires supporting software, namely the CX-ONE software. CX-ONE software is designed on software that will be compiled according to working principles.

2.1. Tables and Figure

After doing hardware and software design. Then, an automatic brick making machine is made that is ready to use, Fig. 1.



Fig. 1. Automatic brick making machine

The PLC OMRON CP1E-NA20DR-A has several indicators that display the state when the PLC is running [10]. Table 1 of the indicators found on the Omron CP1E-NA20DR-A PLC which displays the state when the PLC is running [19].

Indicator	Status	Information			
DIAZD	ON	Power is provided to the PLC			
PWK	OFF	Power is not supplied to the PLC			
	ON	PLC operates in run or monitor mode			
RUN	OFF	PLC is in program mode or an error has occurred			
	ON	A fatal error has occurred (PLC operation has stopped)			
	BERKEDIP	A non-fatal error has occurred (PLC operation continues)			
ERR/ALM	R/ALM OFF Indicates normal operation				
	ON	All outputs turn off			
INHL	OFF	Normal			
		Communication (either sending or receiving) is taking place via the peripheral USB			
וחממ	BERKEDIP	port			
FKFIIL	OFF	No communication			
		User program, certain parameters or words in dm area are being written to backup			
	ON	memory			
BKUP	OFF	There is no backup process			
	ON	Data is being transferred through the peripheral port			
СОММ	OFF	Data is not currently being transferred through the peripheral port			

Fable 1. Indicators on Omron P	LC
---------------------------------------	----

2.2. Equation

Flux is generated from the stator coil which creates a current, if a 3-phase voltage source is connected to the stator terminals. The flux in the stator is generally fixed, the following is equation (1) the stator rotation speed.

$$Ns = \frac{f.60}{P} \tag{1}$$

Ns = stator speed (rpm)

P = Number of poles on the motor

f = Frequency (Hz) [20]

2.3. System Design

The 3-phase source is connected to the 3-phase MCB at R,S,T. Then the 3-phase current from the MCB is connected to contactor 1 at the R,S,T contacts. the output on the U, V, W contactor is connected to the 3-phase motor U1, V1, W1, then the U2, V2, W2 motor is connected to the 2 U, V, W contactor. R,S,T on contactor 2 is connected to contactor 1 on R,S,T so that a star circuit occurs. Contactor 3 U, V, W is connected to contactor 2 on U, V, W, while R, S, T on contactor 3 is connected to a to contactor 3 is connected to a source for the PLC which consists of several components such as push buttons and contactors [21].

From this explanation it relates to the components used and the number of components in the research design including the tools and materials used, namely: 1 3-phase MCB, 1 1-phase MCB, 3 contactors 1 push button on, 1 push button off, 3-phase induction motor, PLC Omron CP1E-NA20DR-A, clay and water can be seen in Fig. 2.



Fig. 2. Wiring star-delta circuit

The resulting block diagram has two block diagrams, namely the star block diagram and the delta block diagram can be seen in Fig. 3 and Fig. 4.



Fig. 3. Star block diagram

Based on the star block diagram, several equations are obtained Transition equation (2).

$$T0 = Fs$$

 $T1 = System \times Pb_On$



Equation of circumstances (3).

System =
$$(System + T0 + T2 + T4)T1$$

 $K1 = (K1 + T1)T2 + T3$
 $K2 = (K2 + T3)T4$ (3)



Fig. 4. Delta block diagram

Based on the star block diagram, several equations are obtained Transition equation (4).

$$T0 = Fs$$

$$T1 = System \times Pb_0 n$$

$$T2 = K1 \times Pb_0 ff$$

$$T3 = K1 \times timer$$

$$T4 = K3 \times Pb_0 ff \times Timers$$
(4)

Equation of circumstances

$$System = (System + T0 + T2 + T4)T1$$
$$K1 = (K1 + T1)T2 + T3$$
$$K3 = (K3 + T3)T4$$

2.4. Algorithm

To operate the brick maker, it is necessary to use the CX-Programmer program shown in Fig. 5.

l: 0.00	l: 0.01	+	• •	• •	+	10.00	kontaktor 1
10.00		*	• •	• •	*		· · · ·
kontaktor 1		÷	÷ •	• •		TIM 001	100ms Timer (Timer) [BCD Type] timer Timer number
· •			• •			#500	Set value
10.00	T001	10.02 kontaktor 3	*	· · · · · · · · · · · · · · · · · · ·	×	10.01	kontaktor 2
10.00	T001 timer	10.01 kontaktor 2	• •	*	*	10.02	kontaktor 3

Fig. 5. Star-delta program

Fig. 5, the Star-Delta program on the CX-Programmer. Has different input and output addresses, where the addresses are shown in Table 2.

Table 2. Input and output PLC program	m
---------------------------------------	---

Inputs	Output		
Starting: 0.00	Contactor 1: 10.00		
Stops: 0.01	Contactor 2: 10.01		
	Contactor 3: 10.02		
	Timer: TEAM 001		

The program has a way of working. When the start button (0.00) is turned on it will turn on contactor 1 (10.00) and the motor is in a start circuit condition, then contactor 1 will turn on the timer (TIM 001), after the timer runs for a predetermined time of 50 seconds it will turn on contactor 2 (10.01), then contactor 2 will turn on contactor 3 (10.02) so the motor is in delta circuit condition. Then to cut off the circuit, turn on the stop button (0.01) as shown in Fig. 6.



3. Results and Discussion

After conducting tests on the Star-Delta series, tests were then carried out on the brick dough.

3.1. Testing on the star circuit

The test results from the series of stars can be obtained that the mixture that has an almost perfect mixture is a mixture of 2 liters of soil and 2 liters of water. Whereas in a mixture of 1 liter of soil and 2 liters of water the result is too liquid, as well as in a mixture of 2 liters of soil and 1 liter of water the results are too thick can be seen in Table 3.

Series Type	Volume	Current (A)	Speed (rpm)	Results
	2 liters of soil 1 liter of water	15.8	2998	
Star	1 liter of soil 2 liters of water	16	2987	
	2 liters of soil 2 liters of water	15.8	2990	

3.2. Testing on the delta circuit

The test results from the delta circuit can be obtained that the mixture that has the perfect mixture is a mixture of 2 liters of soil and 2 liters of water. Whereas in a mixture of 1 liter of soil and 2 liters of water the result is too liquid, as well as in a mixture of 2 liters of soil and 1 liter of water the results are too thick can be seen in Table 4.

I able 4. I esting on deita circuits					
Series Type	Volume	Current (A)	Speed (rpm)	Results	
	1 liter of soil 2 liters of water	16.8	2994		
Delta	2 liters of soil 1 liter of water	16.4	2991		
	2 liters of soil 2 liters of water	16.6	2992		

 Table 4. Testing on delta circuits

4. Conclusion

After the text edit has been completed, the paper is ready for the template. Duplicate the template file by using the Save As command, and use the naming convention prescribed by your conference for the name of your paper. In this newly created file, highlight all of the contents and import your prepared text file. You are now ready to style your paper; use the scroll down window on the left of the MS Word Formatting toolbar.

References

- [1] E. B. Wetherley, D. A. Roberts and J. P. McFadden, "Mapping spectrally similar urban materials at subpixel scales," *Remote Sensing of Environment*, Vol. 195, pp. 170-183, 2017.
- [2] S. S. A. Syed-Hassan, Y. Wang, S. Hu, S. Su and J. Xiang, "Thermochemical processing of sewage sludge to energy and fuel: Fundamentals, challenges and considerations," *Renewable and Sustainable Energy Reviews*, vol. 80, pp. 888-913, 2027.
- [3] S. Palaniyappan, V. E. Annamalai, S. Ashwinkumaran, D. Thenmuhil and D. Veeman, "Utilization of abrasive industry waste as a substitute material for the production of fireclay brick," *Journal of Building Engineering*, vol. 45, p. 103606, 2022.
- [4] A. Almssad, A. Almusaed and R. Z. Homod, "Masonry in the Context of Sustainable Buildings: A Review of the Brick Role in Architecture," *Sustainability*, vol. 14, no. 22, p. 14734, 2022.
- [5] M. Dabaieh, J. Heinonen, D. El-Mahdy and D. M. Hassan, "A comparative study of life cycle carbon emissions and embodied energy between sun-dried bricks and fired clay bricks," *Journal of Cleaner Production*, vol. 275, p. 122998, 2020.
- [6] G. S. De Silva and B. V. A. Perera, "Effect of waste rice husk ash (RHA) on structural, thermal and acoustic properties of fired clay bricks," *Journal of building engineering*, vol. 18, pp. 252-259, 2018.
- [7] M. Miyasaka, M. Haghighipanah, Y. Li, J. Matheson, A. Lewis and B. Hannaford, "Modeling Cable-Driven Robot With Hysteresis and Cable–Pulley Network Friction," in *IEEE/ASME Transactions on Mechatronics*, vol. 25, no. 2, pp. 1095-1104, April 2020, doi: 10.1109/TMECH.2020.2973428.
- [8] I. Kuric, I. Klačková, K. Domnina, V. Stenchlák and M. Sága Jr, "Implementation of predictive models in industrial machines with proposed automatic adaptation algorithm," *Applied Sciences*, vol. 12, no. 4, p. 1853, 2022.
- [9] A. Stanciu, "Blockchain Based Distributed Control System for Edge Computing," 2017 21st International Conference on Control Systems and Computer Science (CSCS), Bucharest, Romania, 2017, pp. 667-671, doi: 10.1109/CSCS.2017.102.
- [10] I. Ahmed, S. Obermeier, S. Sudhakaran and V. Roussev, "Programmable Logic Controller Forensics," in *IEEE Security & Privacy*, vol. 15, no. 6, pp. 18-24, November/December 2017, doi: 10.1109/MSP.2017.4251102.
- [11] D. Kumar, A. Basit, A. Saleem and E. G. Abbas, "PLC Based Monitoring & Protection of 3-Phase Induction Motors against Various Abnormal Conditions," 2019 2nd International Conference on Computing, Mathematics and Engineering Technologies (iCoMET), Sukkur, Pakistan, 2019, pp. 1-6, doi: 10.1109/ICOMET.2019.8673497.
- [12] W. Liu and T. A. Lipo, "Analysis of Consequent Pole Spoke Type Vernier Permanent Magnet Machine With Alternating Flux Barrier Design," in *IEEE Transactions on Industry Applications*, vol. 54, no. 6, pp. 5918-5929, Nov.-Dec. 2018, doi: 10.1109/TIA.2018.2856579.
- [13] H. Shin, J. Chang and D. Hong, "Design and Characteristics Analysis of Coaxial Magnetic Gear for Contra-Rotating Propeller in Yacht," in *IEEE Transactions on Industrial Electronics*, vol. 67, no. 9, pp. 7250-7259, Sept. 2020, doi: 10.1109/TIE.2019.2944069.
- [14] Y. C. Arif, R. Rakhmawati, A. Saksana and Suhariningsih, "Implementation of AC-AC Voltage Controller for Reduce Transient Current at Three Phase Induction Motor," 2019 International Seminar on Application for Technology of Information and Communication (iSemantic), Semarang, Indonesia, 2019, pp. 465-470, doi: 10.1109/ISEMANTIC.2019.8884300.

- [15] O. R. Agyare, A. B. Asiedu-Asante and A. R. Biney, "Fuzzy Logic Based Condition Monitoring of a 3-Phase Induction Motor," 2019 IEEE AFRICON, Accra, Ghana, 2019, pp. 1-8, doi: 10.1109/AFRICON46755.2019.9133780.
- [16] S. Baig, T. Vahabzadeh, S. Ebrahimi and J. Jatskevich, "Reconfigurable Star-Delta VBR Induction Machine Model for Predicting Soft-Starting Transients," 2022 IEEE International IOT, Electronics and Mechatronics Conference (IEMTRONICS), Toronto, ON, Canada, 2022, pp. 1-7, doi: 10.1109/IEMTRONICS55184.2022.9795720.
- [17] Ermawati, F. Palaha, Yolnasdi, E. H. Arya, Machdalena and E. Yusrinal, "Analysis of Starting Current and Electrical Energy in Three Phase Induction Motor As A Chemical Processing System in PT Riau Andalan Pulp & Paper," 2022 9th International Conference on Electrical Engineering, Computer Science and Informatics (EECSI), Jakarta, Indonesia, 2022, pp. 264-269, doi: 10.23919/EECSI56542.2022.9946635.
- [18] Y. Lan, Y. Benomar, K. Deepak, A. Aksoz, M. E. Baghdadi, E. Bostanci and O. Hegazy, "Switched reluctance motors and drive systems for electric vehicle powertrains: State of the art analysis and future trends," *Energies*, vol. 14, no. 8, p. 2079, 2021.
- [19] A. T. Wahyudi, T. Ramadhan, F. A. Adam, N. Ismail, F. Rivaldi and M. R. Effendi, "On The Design of Object Stamping System Using Electro-Pneumatic Based on PLC OMRON CP1E," 2022 16th International Conference on Telecommunication Systems, Services, and Applications (TSSA), Lombok, Indonesia, 2022, pp. 1-5, doi: 10.1109/TSSA56819.2022.10063896.
- [20] Â. Camponogara, H. V. Poor and M. V. Ribeiro, "The Complete and Incomplete Low-Bit-Rate Hybrid PLC/Wireless Channel Models: Physical Layer Security Analyses," in *IEEE Internet of Things Journal*, vol. 6, no. 2, pp. 2760-2769, April 2019, doi: 10.1109/JIOT.2018.2874377.
- [21] I. G. N. S. Hernanda, I. M. Y. Negara, D. A. Asfani, D. Fahmi, N. S. Anggito and C. Bahy, "Experimental Setup for Ferroresonance Initiation On 3-Phase Low Voltage Transformer," 2021 3rd International Conference on High Voltage Engineering and Power Systems (ICHVEPS), Bandung, Indonesia, 2021, pp. 552-557, doi: 10.1109/ICHVEPS53178.2021.9600931.